

**Section 1: Identification of the substance or mixture and of the supplier**

<b>Product Name:</b>	F-Matic Linen Fresh AE200
<b>Synonyms/Other Means of Identification:</b>	Aerosol Air Freshener
<b>Intended Use:</b>	Air Freshener
<b>Manufacturer:</b>	F-Matic Inc. 299 South Millpond Drive Lehi, Utah 84043
<b>SDS Information:</b>	Phone: 800-824-9994

**Section 2: Hazard(s) Identification****Classification**

H222 – Extremely flammable aerosol  
H229 – Pressurized container: may burst if heated  
H303 – May be harmful if swallowed  
H319 – Causes serious eye irritation  
H316 – Causes mild skin irritation  
H335 – May cause respiratory irritation  
H336 – May cause drowsiness or dizziness

**Label Elements****DANGER****Precautionary Statement(s):**

Keep out of reach of children. (P102) Read label before use. (P103) Keep away from heat/sparks/ open flames/ hot surfaces. No Smoking. (210) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P303 + P351 + P338) If eye irritation persists: Get medical advice/attention. IF ON SKIN: Was with plenty of soap and water. ( P302 + P352) IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Section 3: Composition / Information on Ingredients**

INGREDIENTS: The identity of the specific components of this mixture is proprietary information and regarded to be a trade secret, in accordance with the provisions of paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to section 2 for hazard identification.

**Section 4: First Aid Measures**

**Eye Contact:** Flush eyes under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, seek medical attention. For direct contact, remove contact lenses if present and easy to do so. Immediately hold eyelids apart and flush the affected eye(s) with clean water for at least 15 minutes. Seek immediate medical attention.

**Skin Contact:** If irritation persists, wash with water.

**Inhalation (Breathing):** Get medical attention if symptoms occur.

**Ingestion (Swallowing):** Contact a physician or Poison Control Center immediately. **Do** not induce vomiting, never give anything by mouth to an unconscious person.

**Most important symptoms and effects**

**Acute:** Eye irritation

**Delayed:** None known

## Section 5: Fire-Fighting Measures

### NFPA 704 Hazard Class

**Health:** 2      **Flammability:** 3      **Instability:** 0      (0-Minimal, 1-Slight, 2-Moderate, 3-Serious, 4-Severe)

### HMIS®

**Health:** 2      **Flammability:** 3      **Physical Haz:** 0      (0-Minimal, 1-Slight, 2-Moderate, 3-Serious, 4-Severe, \*Chronic)

**Extinguishing Media:** Use extinguishing media suitable for surrounding fire.

### **Specific Hazards Arising From the Chemical**

**Unusual Fire & Explosion Hazards:** No unusual fire or explosion hazards are expected. If container is not properly cooled, it can rupture in the heat of a fire.

**Hazardous Combustion Products:** Carbon oxides.

**Special Protective Actions for Firefighters:** For fires beyond the initial stage, emergency responders in the immediate hazard area should wear protective clothing. When the potential chemical hazard is unknown, in enclosed or confined spaces, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. If this cannot be done, allow fire to burn. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Cool equipment exposed to fire with water, if it can be done safely.

## Section 6: Accidental Release Measures

**Personal Precautions:** No special requirements.

**Environmental Precautions:** Avoid contact of large amounts of spilled material runoff with soil and surface waterways. Absorb with inert material. Use a water rinse for final cleanup.

**Methods and Materials for Containment and Clean-Up:** Notify relevant authorities in accordance with all applicable regulations. Immediate cleanup of any spill is recommended. Absorb spill with inert material such as sand or vermiculite, and place in suitable container for disposal. If spilled on water remove with appropriate methods (e.g. skimming, booms or absorbents). In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

Recommended measures are based on the most likely spillage scenarios for this material; however local conditions and regulations may influence or limit the choice of appropriate actions to be taken. See Section 13 for information on appropriate disposal.

## Section 7: Handling and Storage

**Precautions for safe handling:** Wash thoroughly after handling.

**Conditions for safe storage:** Keep out of reach of children. Keep container tightly closed. Store between 32 to 122 degrees F.

## Section 8: Exposure Controls / Personal Protection

**Note:** State, local or other agencies or advisory groups may have established more stringent limits. Consult an industrial

hygienist or similar professional, or your local agencies, for further information.

**Engineering controls:** Good general ventilation should be sufficient to control workers exposure to airborne contamination.

#### Personal Protective Equipment:

**Eye/Face Protection:** Eye protection should be used when splashing may occur.

**Skin/Hand Protection:** No protective equipment is needed under normal use.

**Respiratory Protection:** No protective equipment is needed under normal use

Suggestions provided in this section for exposure control and specific types of protective equipment are based on readily available information. Users should consult with the specific manufacturer to confirm the performance of their protective equipment. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.

### Section 9: Physical and Chemical Properties

**Note:** Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm). Data represent typical values and are not intended to be specifications.

<b>Appearance:</b>	Clear, Colorless
<b>Physical Form:</b>	Liquid
<b>Odor:</b>	Characteristic
<b>Odor Threshold:</b>	No data
<b>pH:</b>	No data
<b>Vapor Pressure:</b>	N/A
<b>Vapor Density (air=1):</b>	N/A
<b>Initial Boiling Point/Range:</b>	>100°C
<b>Melting/Freezing Point:</b>	No data
<b>Solubility in Water:</b>	Partial
<b>Partition Coefficient (n-octanol/water) (Kow):</b>	N/A
<b>Specific Gravity (water=1):</b>	@25°C: 0.78 – 0.81 g/ml
<b>Evaporation Rate (nBuAc=1):</b>	<1
<b>Flash Point:</b>	>156°F
<b>Test Method:</b>	Closed Cup
<b>Lower Explosive Limits (vol % in air):</b>	Not applicable
<b>Upper Explosive Limits (vol % in air):</b>	Not applicable
<b>Auto-ignition Temperature:</b>	Not applicable

### Section 10: Stability and Reactivity

**Reactivity:** Stable under normal ambient and anticipated conditions of use.

**Chemical Stability:** Stable under normal ambient and anticipated conditions of use.

**Stability:** Stable under normal ambient and anticipated conditions of use.

**Conditions to Avoid:** Heat, Sparks, Open flames and Temperatures above 120°F.

**Materials to Avoid (Incompatible Materials):** Strong acids, Strong Bases, Strong Oxidizing Agents, Strong Reducing Agents

**Hazardous Decomposition Products:** Carbon oxides and hydrocarbons.

### Section 11: Toxicological Information

Information on Toxicological Effects of Substance/Mixture

<u>Acute Toxicity</u>	<u>Hazard</u>	<u>Additional Information</u>	<u>LC50/Lata</u>
<b>Inhalation</b>	No data available	No data available	No data available
<b>Skin Absorption</b>	Unlikely to be harmful	No data available	No data available
<b>Ingestion (Swallowing)</b>	Unlikely to be harmful	No data available	No data available

**Aspiration Hazard:** Not anticipated.

**Skin Corrosion/Irritation:** May cause slight irritation.

**Serious Eye Damage/Irritation:** Causes eye irritation.

**Signs and Symptoms:** No information available.

**Skin Sensitization:** No information available.

**Respiratory Sensitization:** No information available.

**Specific Target Organ Toxicity (Single Exposure):** Not expected to cause organ effects from exposure.

**Specific Target Organ Toxicity (Repeated Exposure):** Not expected to cause organ effects from repeated exposure.

**Carcinogenicity:** Not expected to cause cancer.

**Germ Cell Mutagenicity:** Not expected to cause heritable genetic effects.

**Reproductive Toxicity:** Not expected to cause reproductive toxicity.

**Other Comments:** .None known.

## Section 12: Ecological Information

**Toxicity:** No data found

**Persistence and Degradability:** No data

**Bioaccumulative Potential:** No data

**Mobility in Soil:** No data

**Other Adverse Effects:** None anticipated.

## Section 13: Ecological Information

**Industrial Setting:** The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

This material, if discarded as produced, would not be a federally regulated RCRA "listed" or "characteristic" hazardous waste. See Sections 7 and 8 for information on handling, storage and personal protection and Section 9 for physical/chemical properties. It is possible that the material as produced contains constituents which are not required to be

listed in the MSDS but could affect the hazardous waste determination. Additionally, use which results in chemical or physical change of this material could subject it to regulation as a hazardous waste.

**Household Setting:** Consumer may discard or recycle where facilities exist.

## Section 14: Transport Information

### U.S. Department of Transportation (DOT)

**Shipping Name:** Flammable Gas (2.1)

**UN #:** UN1950, Class 2

**Proper Shipping Name:** Aerosols, flammable

## Section 15: Regulatory Information

### CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs (in pounds):

This material does not contain any chemicals subject to the reporting requirements of SARA 302 and 40 CFR 372.

### CERCLA/SARA - Section 311/312 (Title III Hazard Categories)

<b>Acute Health:</b>	No
<b>Chronic Health:</b>	No
<b>Fire Hazard:</b>	No
<b>Pressure Hazard:</b>	No
<b>Reactive Hazard:</b>	No

### CERCLA/SARA - Section 313 and 40 CFR 372:

This material contains the following chemicals subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR 372:

Component	Concentration <sup>1</sup>	de minimis
2-Propanone	60 – 90%	---

### EPA (CERCLA) Reportable Quantity (in pounds):

No data

### California Proposition 65:

This product is not subject to the warning labeling requirements under California Proposition 65 (CA Health & Safety Code Section 25249.5):

Component or Potential Component	Type of Toxicity
None Known	None Known

### National Chemical Inventories

All components are either listed on the US TSCA Inventory, or are not regulated under TSCA All components are either on the DSL, or are exempt from DSL listing requirements

## Section 16: Transport Information

<b>Date of Issue:</b>	29-May-2015
<b>Status:</b>	Final
<b>Previous Issue Date:</b>	Initial
<b>Revised Sections or Basis for Revision:</b>	N/A
<b>Guide to Abbreviations:</b>	

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

**Disclaimer of Expressed and implied Warranties:**

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorization is given nor implied to practice any patented invention without a license.