

1 Identification

Product Name: F- M a t i c Piña Colada 9,000 Metered S p r a y

Application of the substance /the mixture Air Freshener.

Manufacturer/Supplier:

F-Matic
299 South Millpond Rd.
Lehi, UT 84043
(801) 768-2000

Information department: Product safety department

Emergency telephone number: (800) 824-9994

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.
STOTSE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02

GHS04

GHS07

Signal word Danger

Hazard-determining components of labeling:

acetone

Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada 9,000 Metered Spray

(Contd. of page 1)

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0- 4)



Health = 2

Fire = 4

Reactivity =

1

HMIS-ratings (scale 0- 4)



Health = 2

Fire = 4

Reactivity =

1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane	≤2.5%
	Fragrance Trade Secret (776)	≤2.5%

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada 9,000 Metered Spray

(Contd. of page 2)

- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
Suitable extinguishing agents:
Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

PAC-1:		
67-64-1	acetone	200ppm
75-28-5	isobutane	5500* ppm
74-98-6	propane	5500* ppm
106-97-8	butane	5500* ppm
142-90-5	dodecyl methacrylate	6.9ppm
110-91-8	morpholine	30ppm
91-64-5	Coumarin	0.88 mg/m ³
100-51-6	Benzyl alcohol	30ppm
PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** ppm
74-98-6	propane	17000** ppm
106-97-8	butane	17000** ppm
142-90-5	dodecyl methacrylate	76ppm
110-91-8	morpholine	1,300ppm

(Contd. on page 4)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada 9,000 Metered Spray

(Contd. of page 3)

91-64-5	Coumarin	9.7 mg/m ³
100-51-6	Benzyl alcohol	52ppm
PAC-3:		
67-64-1	acetone	5700*ppm
75-28-5	isobutane	53000*** ppm
74-98-6	propane	33000*** ppm
106-97-8	butane	53000*** ppm
142-90-5	dodecyl methacrylate	460ppm
110-91-8	morpholine	8000** ppm
91-64-5	Coumarin	58 mg/m ³
100-51-6	Benzyl alcohol	740ppm

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone	
PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
REL	Long-term value: 590 mg/m ³ , 250 ppm
TLV	Short-term value: 1187 mg/m ³ , 500 ppm
	Long-term value: 594 mg/m ³ , 250 ppm
	BEI
75-28-5 isobutane	
TLV	Short-term value: 2370 mg/m ³ , 1000 ppm (EX)

(Contd. on page 5)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada 9,000 Metered Spray

(Contd. of page 4)

74-98-6 propane	
PEL	Long-term value: 1800 mg/m ³ , 1000 ppm
REL	Long-term value: 1800 mg/m ³ , 1000 ppm
TL	refer to Appendix F in TLVs&BEIs book; D, EX
106-97-8 butane	
REL	Long-term value: 1900 mg/m ³ , 800 ppm
TL	Short-term value: 2370 mg/m ³ , 1000 ppm
V	(EX)
Ingredients with biological limit values:	
67-64-1 acetone	
BEI	50 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses

(Contd. on page 6)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F - Matic Piña Colada 9,000 Metered Spray

(Contd. of page 5)



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Aerosol
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-94.7 °C (-138.5 °F)
Boiling point/Boiling range:	-44 °C (-47.2 °F)
Flash point:	< 0 °C (<32 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	460 °C (860 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	1.8 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	3,000 hPa (2,250.2 mm Hg)
Density:	
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not applicable.
Solubility in /Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	83.8 %
VOC content:	26.08 %
	260.8 g/l /2.18 lb/gal
Solids content:	3.6 %

(Contd. on page 7)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada 9,000 Metered Spray

Other adverse effects No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA

UN1950

UN proper shipping name

DOT

Aerosols, flammable

IMDG

AEROSOLS

IATA

AEROSOLS, flammable

Transport hazard class(es)

DOT



Class

2.1

Label

2.1

IMDG, IATA



Class

2.1

Label

2.1

Packing group

DOT, IMDG, IATA

not regulated

Environmental hazards:

Marine pollutant:

No

Special precautions for user

Warning: Gases

Danger code (Kemler):

-

EMS Number:

F-D,S-U

Stowage Code

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

(Contd. on page 9)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F - Matic Piña Colada 9,000 Metered Spray

(Contd. of page 8)

·Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
·Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
·Transport/Additional information:	
·DOT	
·Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
·IMDG	
·Limited quantities (LQ)	IL
·Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
·UN "Model Regulation":	UN1950 AEROSOLS, 2.1

* 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

·Section 355 (extremely hazardous substances):	None of the ingredients is listed.
·Section 313 (Specific toxic chemical listings):	None of the ingredients is listed.
·TSCA (Toxic Substances Control Act):	
67-64-1	acetone
75-28-5	isobutane
74-98-6	propane
106-97-8	butane
25265-71-8	Dipropylene glycol (isomer unspecified)
142-90-5	dodecyl methacrylate
110-91-8	morpholine
91-64-5	Coumarin
100-51-6	Benzyl alcohol
·TSCA new (21st Century Act) (Substances not listed)	
·Fragrance Trade Secret (776)	
·Proposition 65	
·Chemicals known to cause cancer:	None of the ingredients is listed.
·Chemicals known to cause reproductive toxicity for females:	None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F - Matic Piña Colada M9,000 Metered Spray

(Contd. of page 9)

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

67-64-1 acetone

I

TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

A4

110-91-8 morpholine

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02

GHS04

GHS07

Signal word Danger

Hazard-determining components of labeling:

acetone

Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection / face protection.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 11)

Safety Data Sheet

Printing date 06/04/2019

Reviewed on 06/04/2019

Trade name: F-Matic Piña Colada Metered Aerosol

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation /last revision 06/04/2019 /8

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Aerosol 1: Aerosols – Category 1

Press. Gas: Gases under pressure – Compressed gas

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOTSE 3: Specific target organ toxicity (single exposure) – Category 3

*Data compared to the previous version altered.

US