

Alcohol Based Hand Sanitizer Safety Data Sheet

Issuing Date 10-July-2020 Revision Date Initial Revision Number 0

1. Identification

Product identifier

Product Name Antibacterial Hand Sanitizer

Other means of identification Hand Sanitizer

SKU #: GB-128

Recommended use Disinfectant.

Kills most illness-causing germs and bacteria.

Manufacturer Address

F-Matic Inc.

299 South Millpond Drive

Lehi, Utah 84043

Emergency telephone number 800-824-9994

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Serious eye damage/eye irritation | Category 2A |
|-----------------------------------|-------------|
| Flammable liquids | Category 2 |

Label elements

Signal Word Danger

Hazard statements

Highly flammable liquid and vapor. Causes serious eye irritation.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if inhaled. Causes mild skin irritation. May cause drowsiness or dizziness.

3. Composition/information on ingredients

<u>Mixture</u>

| Chemical name | CAS No | % | Trade secret |
|-------------------|-----------|--------|--------------|
| Ethanol | 64-17-5 | 62 | |
| Water | 7732-18-5 | 36.425 | |
| Glycerol | 56-81-5 | 1.45 | |
| Hydrogen Peroxide | 7722-84-1 | 0.125 | |

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contactNone under normal use conditions. If skin irritation occurs: Get medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are awareof the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may

cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing mediaNone known based on information supplied.

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources

of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with

local regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|-------------------|----------------|--|-----------------------------|
| Ethanol | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | |
| Glycerol | - | TWA: 15 mg/m ³ mist, total | - |
| 56-81-5 | | particulate | |
| | | TWA: 5 mg/m³ mist, respirable | |
| | | fraction | |
| | | (vacated) TWA: 10 mg/m ³ | |
| | | mist, total particulate | |
| | | (vacated) TWA: 5 mg/m ³ mist, | |
| | | respirable fraction | |
| Hydrogen peroxide | TWA: 1 ppm | TWA: 1 ppm | IDLH: 75 ppm |
| 7722-84-1 | | TWA: 1.4 mg/m ³ | TWA: 1 ppm |
| | | (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m ³ | TWA: 1.4 mg/m ³ |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color Colorless
Odor Alcohol

Odor threshold No data available

Remarks • Method

 pH
 No data available
 None known

 Melting point / freezing point
 No data available
 None known

Values

Melting point / freezing pointNo data availableBoiling point / boiling range78.3 °C / 172.9 °FFlash point17.5 °C / 63.5 °FEvaporation rateNo data available

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive limits No data available Lower flammability or explosive limits No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Property

Explosive properties
Oxidizing properties
No information available.
No information available.
No information available.
No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information .

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May be harmful if inhaled. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Prolonged contact may cause redness and

irritation.

Acute toxicity

Numerical measures of toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|-----------------------|-------------------------|--------------------------------------|
| Ethanol 64-17-5 | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | • |
| Glycerol 56-81-5 | = 12600 mg/kg (Rat) | > 10 g/kg (Rabbit) | > 570 mg/m ³ (Rat) 1 h |
| Hydrogen peroxide 7722-84-1 | = 1518 mg/kg (Rat) | = 9200 mg/kg (Rabbit) | = 2000 mg/m ³ (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage. Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|---------|-------|------|
| Ethanol 64-17-5 | А3 | Group 1 | Known | Х |
| Hydrogen peroxide 7722-84-1 | А3 | Group 3 | - | - |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Page 6 / 11

Target organ effects Eyes, Skin, Respiratory system.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--------------------------------|----------------------|---|----------------------------|---|
| Ethanol 64-17-5 | - | LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: 13400 - 15100mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) | - | LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna) |
| Glycerol 56-81-5 | 1 | LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss) | 1 | - |
| Hydrogen peroxide 7722-84-1 | - | LC50: 18 - 56mg/L (96h, Lepomis macrochirus) LC50: =16.4mg/L (96h, Pimephales promelas) LC50: 10.0 - 32.0mg/L (96h, Oncorhynchus mykiss) | - | EC50: 18 - 32mg/L (48h, Daphnia magna) |

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Ethanol 64-17-5 | -0.32 |
| Glycerol 56-81-5 | -1.76 |

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste Status |
|--------------------------------|---|
| Ethanol 64-17-5 | Toxic Ignitable |
| Hydrogen peroxide 7722-84-1 | Toxic Corrosive Ignitable Reactive |

14. Transport information

Note: This is a consumer product and as such may usually be shipped as ORM-D (other

regulated materials for domestic transport only) Consumer Commodity for transport within the United States. While this product is a hazardous material, it may be shipped in a limited quantity that presents a limited hazard during transportation, due to its form, quantity, and packaging. The information listed below is for shipping bulk material.

DOT

UN/ID no UN1170

Proper shipping name ETHANOL SOLUTIONS

Hazard class 3 Packing group II

Special Provisions 24, IB2, T4, TP1

DOT Marine Pollutant NP

Description UN1170, ETHANOL SOLUTIONS, 3, II

Emergency Response Guide 127

Number

IATA

UN number UN1170
UN proper shipping name Ethanol solution

Transport hazard class(es) 3
Packing group II
ERG Code 3L

Special Provisions A180, A3, A58

Description UN1170, Ethanol solution, 3, II

IMDG

UN number UN1170

UN proper shipping name ETHANOL SOLUTION

Transport hazard class(es) 3
Packing group II
EmS-No F-E, S-D
Marine pollutant NP
Special Provisions 144

Description UN1170, ETHANOL SOLUTION, 3, II, (17.5°C C.C.)

15. Regulatory information

International Inventories

TSCA

| Chemical name | CAS No | US TSCA Inventory listing | US TSCA active/inactive designation |
|-------------------|-----------|---------------------------|-------------------------------------|
| Ethanol | 64-17-5 | Present | Active |
| Water | 7732-18-5 | Present | Active |
| Glycerol | 56-81-5 | Present | Active |
| Hydrogen peroxide | 7722-84-1 | Present | Active |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

<u>CWA (Clean Water Act)</u>
This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|--------------------------------|--------------------------|------------------------------------|
| Hydrogen peroxide 7722-84-1 | - | 1000 lb |

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage. This product contains the following Proposition 65 chemicals:

| Chemical name | California Proposition 65 | |
|-------------------|---------------------------|--|
| Ethanol - 64-17-5 | Carcinogen | |
| | Developmental | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Ethanol 64-17-5 | X | X | Х |
| Glycerol 56-81-5 | X | X | X |
| Hydrogen peroxide 7722-84-1 | Х | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 10-July-2020

Revision Date Initial

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet